



PRODUCT CATALOGUE

Suppliers of All Air-Conditioning Materials, Hardware & Tools

70 products across 8 categories

Super Tech International Construction Materials Co.

Shuwaikh Industrial Area, Kuwait City, Kuwait

Tel / WhatsApp: +965 65061752

supertechcm@gmail.com

CLAMPS & SUPPORTS

8 items

Various clamps and supports for piping, ductwork, and electrical conduits.



ST

Rubber Lined Pipe Clamp

Acoustic EPDM rubber-lined galvanized pipe clamp for vibration dampening and noise isolation in chilled water and domestic water supply lines.

Available Sizes	1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 3", 4",...
Lining	EPDM Rubber Insulation
Material	Galvanized Steel
Noise Reduction	Up to 18 dB



ST

GI Channel Clamp

Galvanized strut channel clamp designed for securing pipes directly onto 41x41mm and 41x21mm unistrut metal framing channels.

Available Sizes	1/2", 3/4", 1", 1-1/2", 2"
Material	Electro-Galvanized Steel
Compatibility	Standard 41mm Strut Channels



ST

Electric GI Saddle Clamp

Half and full galvanized iron saddle clamps for fixing electrical conduits and PVC pipes against walls and ceilings.

Available Sizes	20mm, 25mm, 38mm, 50mm
Material	Galvanized Pressed Steel



ST

GI U Clamp Saddle

Galvanized steel U-bolt clamp saddle for securing heavy steel pipes, conduits, and copper risers to structural surfaces.

Available Sizes	3/4", 1", 1-1/4", 1-1/2", 2", 4"
Material	Electro-Galvanized Steel
Application	Surface Mounted Pipe & Conduit Clam...



ST

GI Beam Clamp

Malleable iron galvanized structural beam clamp for attaching threaded rods to steel I-beams without drilling or welding.

Available Sizes	8mm, 10mm, 12mm Threaded Rod Hole
Material	Malleable Cast Iron (Galvanized)
Load Capacity	Up to 450 kg
Standard	MSS SP-69



ST

GI Universal Pipe Clamp

Heavy-duty galvanized iron universal pipe clamp for MEP, HVAC, and plumbing pipe installations. Features dual screw clamping mechanism and zinc plating.

Available Sizes	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 6"
Material	Electro-Galvanized Iron (GI)
Application	MEP & HVAC Pipe Hangers
Origin	UAE / China



ST

GI "G" CLAMP

Malleable iron galvanized electrical conduit junction box for heavy duty commercial and industrial wiring runs.

Available Sizes	3/4", 1"
Material	Galvanized Malleable Iron
Finish	Hot-Dip Galvanized



GI Clevis Hanger

Galvanized iron clevis hanger designed for suspension of non-insulated stationary pipe lines.

Available Sizes	2-1/2", 3", 4", 6", 8"
Material	Galvanized Steel

AIR-CONDITIONING MATERIALS

9 items

Copper pipes, insulation, refrigerants, dampers, access valves, flexible ducts, and materials for profes...



Wrot Copper Fittings Set

Precision-manufactured wrot copper solder fittings including 90° elbows, 45° elbows, tees, couplings, reducers, and flare adapters. Engineered for pressure-tight solder joints in HVAC, ...

Sizes	1/4", 1/2", 3/8", 5/8", 3/4", 7/8", 1-1/8",...
Material	High-purity C12200 Deoxidized Copper
Standard	ASME B16.22 / EN 1254
Origin	China



Refrigeration Liquid Line Filter Drier

High-capacity liquid line filter drier designed to absorb moisture, acid, and solid contaminants from HVAC and refrigeration systems. Protects thermal expansion valves and compressor ...

Sizes	1/4" up to 7/8" (Flare & ODF Solder)
Desiccant Core	Molecular Sieve & Activated Alumina
Max Working Pressure	500 PSI / 35 bar
Origin	Mexico



High-Tensile PVC Packing Strapping Roll

High-strength flexible plastic packing strap roll used for bundling sheet metal ductwork, securing palletized HVAC materials, binding pipe bundles, and jobsite material packaging.

Width	5/8" (16mm)
Roll Sizes	Small roll & Large commercial coil opti...
Material	High-density Polypropylene / PVC com...
Application	Pallet strapping, duct bundling, & carg...



Hardwood Insulated Pipe Support Blocks

High-density treated hardwood pipe support blocks designed to support insulated copper tubing and chilled water lines without compressing thermal insulation. Prevents thermal bridging, ...

Sizes	All pipe sizes (1/4" to 4"+)
Material	Seasoned Treated Hardwood / Phenoli...
Subcategory	Clamps & Supports
Application	Chilled water & refrigerant pipe suspen...



Seamless Soft Copper Pipe Coil

Seamless soft copper pancake coil manufactured to ASTM B280 international standards for air conditioning and refrigeration field service. Fully annealed for easy hand bending, flaring, and ...

Sizes	1/4", 1/2", 3/8", 5/8", 3/4", 7/8", 1-1/8",...
Standard	ASTM B280 / EN 12735-1
Origin	Vietnam
Type	Soft Annealed Pancake Coil



Refrigeration Service Access Valve 1/4"

Standard 1/4" SAE flare refrigeration service access valve (Schrader valve) complete with removable internal core, 1/4" copper tube tail, and knurled brass cap with core remover tool.

Connection Size	1/4" SAE Flare x 1/4" OD Copper Tube
Material	Solid Forged Brass Body & Pure Copp...
Internal Core	Removable High-Pressure Stainless C...
Application	A/C refrigerant charging, vacuum evac...



Copper Pipe

Seamless hard-drawn copper tubes engineered for high-pressure HVAC, chilled water, and refrigeration systems. Available in Type L and Type K wall thicknesses providing high...

Sizes	1/4", 1/2", 3/8", 5/8", 3/4", 7/8", 1-1/8",...
Wall Thickness	Type L (Standard) & Type K (Heavy D...
Standard	ASTM B88 / ASTM B280
Length	6 meter straight lengths



Extruded Brass Flare Union Coupling

Precision-machined extruded brass flare union coupling designed to connect two copper lines with gas-tight metal-to-metal 45° SAE flare seals. Built to withstand ...

Sizes	All standard sizes (1/4" to 3/4" SAE flar...
Material	Heavy Extruded Brass (CW617N / C36...
Pressure Rating	Up to 700 PSI R410A / R32 compatible
Application	Split unit air conditioner copper pipe joi...



SHURTAPE

Shurtape Aluminium Tape

High-quality aluminium tape designed for HVAC and duct sealing applications.

Available Size	3"
Material	Aluminium Foil

HARDWARE SUPPLIES

4 items

Galvanized fasteners, conduit couplings, electrical sockets, jute hemp, test plugs, clips, and plumbing...




FISCHER

Fischer EA II Heavy Duty Drop-In Anchor Box

Fischer EA II internal thread steel drop-in anchor set for heavy pipe suspension, unistrut channels, and concrete ceiling fixings.

Material	Zinc-Plated Carbon Steel
Application	Concrete ceiling & MEP channel anch...
Sizes	M6, M8, M10, M12, M16



ST

Brass Flare Nut

Heavy duty forged brass flare nut for connecting copper refrigeration tubing to air conditioning compressor valves and split units.

Available Sizes	1/4", 3/8", 1/2", 5/8"
Material	Forged Brass C37700
Pressure Rating	Up to 700 PSI (R410A/R32 Compatible)
Standard	SAE J513



FISCHER

Fischer Galvanized Steel Drop-In Anchor

Fischer internal thread drop-in expansion anchor manufactured from galvanized steel. Ideal for flush mounting in concrete to secure threaded suspension rods, HVAC duct hangers, and pi...

Sizes	Up to 12mm (M6, M8, M10, M12)
Material	Galvanized Carbon Steel
Installation	Internal expander plug flush installatio...
Application	HVAC duct hangers & heavy pipe susp...



Aluminium Blind Pop Rivets

Precision-engineered aluminium blind pop rivets featuring high-strength steel mandrels. Ideal for fast, permanent mechanical joining of sheet metal ductwork, aluminum claddin...

Sizes	4x8mm, 4x10mm, 4x12mm, 5x12mm
Body Material	High-Purity Aluminium Alloy
Mandrel	Zinc-Plated Carbon Steel
Origin	India

HAND & POWER TOOLS

9 items

Professional-grade hand tools and power tools from trusted brands built for daily jobsite performance.



ST

24-Piece Chrome Vanadium Combination Wrench Set

Full 24-piece metric and SAE combination spanner set forged from Cr-V steel with Maxi-Drive profile to prevent fastener rounding under high torque.

Sizes	6mm – 32mm metric
Material	Chrome Vanadium Steel
Finish	Full Polish Chrome
Storage	Roll-up heavy-duty canvas pouch



ST

94-Piece 1/2" & 1/4" Drive Socket Wrench Tool Set

Professional 94-piece Chrome Vanadium socket and ratchet wrench tool set in a heavy-duty blow-molded case. Ideal for MEP installation, automotive, and plant maintenance.

Piece Count	94 Pieces
Material	Drop-Forged Chrome Vanadium Steel...
Drive Sizes	1/2" & 1/4" Ratchet Drives
Includes	Metric & SAE Sockets, Deep Sockets,...



ST

1000V VDE Insulated Screwdriver Set (7-Piece)

VDE certified 1000V insulated screwdriver set engineered for safe live electrical installation and panel assembly work. Tested to IEC 60900 standards.

Voltage Rating	1000V AC / 1500V DC VDE Certified
Piece Count	7 Screwdrivers (Slotted & Phillips)
Standard	IEC 60900 / DIN EN 60900
Handle	Ergonomic Anti-Slip Soft-Grip Handle



ST

Heavy Duty SDS-Plus Rotary Hammer Drill (800W)

Industrial-grade SDS-Plus 3-mode rotary hammer drill engineered for high-impact drilling and chiseling into concrete, masonry, and steel. Features safety clutch and vibration control.

Power Input	800 Watts
Impact Energy	3.0 Joules
Max Concrete Drilling	26 mm
Modes	Drilling, Hammer Drilling, Chiseling





ST

5" Angle Grinder 1100W

High-output 1100W angle grinder designed for cutting steel rebar, grinding welds, and masonry slotting with restart protection and burst-proof guard.

Power	1100 Watts
Disc	125 mm (5 inch)
Speed	11,000 RPM
Voltage	220-240V



ST

7-1/4" Industrial Circular Saw (1400W)

Powerful 1400W 7-1/4 inch handheld circular saw designed for precise straight ripping and cross-cutting of plywood, hardwood, formwork, and plastic sheets.

Blade Diameter	7-1/4" (185mm)
Power Input	1400 Watts
Cutting Depth @ 90°	64 mm
Bevel Capacity	0° to 45°



ST

4-Piece Industrial Pliers Set

Heavy-duty 4-piece forged pliers set including 8" combination pliers, 8" long nose pliers, 7" diagonal side cutters, and 10" adjustable water pump pliers.

Piece Count	4 Pliers Set
Material	Induction-Hardened Chrome Vanadiu...
Handles	Bi-Material Heavy Duty Grip Handles
Includes	Combination, Long Nose, Diagonal Cu...



ST

100m Digital Laser Distance Meter

High-precision 100-meter digital laser rangefinder distance meter featuring indirect Pythagorean measurements, area calculation, volume calculation, and backlit LCD.

Measuring Range	0.05m to 100m
Accuracy	±1.5 mm
Functions	Distance, Area, Volume, Continuous,...
IP Rating	IP54 Dust & Splash Water Resistant



ST

20V Cordless Brushless Impact Driver

High-torque 20V brushless impact driver delivering 200Nm of fastening torque for heavy structural screws, duct hanging, and MEP framing assembly.

Voltage	20V Max Lithium-Ion
Max Torque	200 Nm
No-Load Speed	0-3200 RPM
Chuck	1/4" Hex Quick Release

CONSTRUCTION MATERIALS

3 items

Slotted unistrut channels, UPVC pipe fittings, drop-in anchors, paint brushes, wrapping tapes, and sol...



ST

GI Unistrut Cantilever Framing Bracket

Hot-dip galvanized steel cantilever arm support bracket for mounting unistrut channels, heavy ductwork, and cable trays to walls.

Available Lengths	150mm, 300mm, 450mm, 600mm
Material	Hot-Dip Galvanized Steel (HDG)
Application	Heavy MEP pipe rack & duct wall mou...



SHURTAPE

Shurtape PVC Pipe Anti-Corrosion Wrapping Tape

Heavy-duty unplasticized non-adhesive PVC pipe wrapping tape engineered for wrapping underground chilled water lines, steel pipes, and copper tubing to protect against soil corrosion, ...

Width	2 inches (50mm)
Material	Heavy-duty Non-Adhesive PVC Film
Color	Black / Black-Yellow
Application	Underground pipe corrosion protection...



Slotted Metal Strut Channel (Unistrut Profile)

Cold-formed slotted structural steel framing channels (unistrut profile) with pre-galvanized finish. Provides versatile overhead support framing for hanging HVAC ductwork, heavy pipe runs, ...

Profiles	27x18mm, 41x21mm, 41x41mm
Length	3 meter standard length
Material	Pre-Galvanized Structural Steel
Pattern	Continuous slotted back for quick bolt...

PLUMBING SUPPLIES

6 items

UPVC pressure & drainage fittings, test plugs, gauge cock valves, jute hemp, thread sealants, and plu...



WELDFIX

Weldfix UPVC & CPVC Solvent Cement

Weldfix high-strength solvent cement for fast, pressure-tight bonding of UPVC, PVC, and CPVC pressure pipes and fittings. Meets ASTM D-2564 standards.

Standards	ASTM D-2564 / ASTM F-493
Available Sizes	1/4 Pint (118ml), 1 Pint (473ml)
Application	UPVC & CPVC pipe joint solvent weldi...



ST

Brass Heavy-Duty Gate Valve

Forged brass heavy-duty inline gate valve with red cast iron handwheel for reliable fluid shutoff control in water, HVAC, and plumbing lines.

Available Sizes	1/2", 3/4", 1", 1-1/4", 1-1/2", 2"
Material	Forged Brass Body (CW617N)
Pressure Rating	PN20 / 300 PSI
Application	HVAC chilled water & plumbing shutoff...



Egyptian Plumbing Jute Fibre (Kutkut Hemp)

Premium natural Egyptian jute fiber (kutkut plumbing hemp) used in combination with pipe jointing paste for thread sealing on cast iron, galvanized steel, and brass pipe fittings in plumbing ...

Material	100% Natural Egyptian Long-Fibre Jute
Origin	Egypt
Packaging	Bundled hanks / coils
Application	Threaded pipe joint sealing & plumbing...



Brass Gauge Cock Valve

Heavy-duty forged brass gauge cock shut-off valve designed for isolating pressure gauges and regulating airflow/liquid lines on plumbing, HVAC, and industrial piping manifolds.

Sizes	1/4" and 1/2" NPT Male/Female
Material	Forged Brass Body with T-Handle
Working Pressure	200 PSI WOG
Application	Pressure gauge isolation & piping man...



**Brass Pressure & Temperature Test Plug
(Pete's Plug)**

Solid brass 1/4" NPT pressure test plug (Pete's Plug) fitted with self-closing dual neoprene internal seals. Allows technician to quickly insert pressure/temperature probes without fluid leakage.

Thread Size	1/4" NPT Male Thread
Material	Solid Machined Brass with Neoprene...
Pressure Rating	500 PSI Maximum
Application	Chilled water loop & hydronic system t...



PVC Pipe

High-quality PVC pipes designed for robust plumbing, drainage, and fluid transport applications.

Material	Polyvinyl Chloride (PVC)
Application	Plumbing, drainage, and conduit syste...
Durability	Corrosion and chemical resistant

ELECTRICAL SUPPLIES

6 items

Galvanized conduit couplings, industrial plugs & sockets, spring conduit clips, cable containment, and...



ST

GI Electric Conduit Pipe

Class 4 hot-dip galvanized rigid steel electrical conduit pipe for surface and underground cable protection.


Available Sizes	3/4", 1", 1-1/2"
Standard	BS 31 / BS 4568 / BS EN 61386
Material	Hot-Dip Galvanized Rigid Steel



Industrial Plug & Socket Connector Set

Heavy-duty CEE industrial plug and socket connectors engineered for high-power distribution on construction job sites, industrial workshops, and temporary site power boards. ...

Rating	16A / 32A / 63A
Voltage Range	220V - 415V (3P+E / 3P+N+E)
Enclosure Rating	IP44 Weatherproof / IP67 Waterproof
Application	Construction power distribution, welder...



ST

Electric Brass Adaptor

Precision machined brass electrical conduit male/female adaptor for securing flexible and rigid metal conduits to junction boxes and enclosures.

Available Sizes	3/4", 1", 1-1/2"
Material	High-Grade Extruded Brass
Thread Standard	BS 4568 / Metric
Protection Class	IP66 Rated



Galvanized Spring Metal Conduit Clip

Heavy-gauge galvanized steel spring clip saddle designed for securing electrical conduits, copper tubes, and small steel pipes to masonry walls, metal studs, or unistrut channels.

Size	5/8" diameter
Material	Galvanized Spring Steel
Finish	Zinc-Plated Rust Resistant
Application	Conduit & copper tube wall attachment





ST

PVC Coated Flexible Conduit Pipe

Liquid-tight PVC coated flexible galvanized steel conduit for weatherproof outdoor and industrial electrical wiring runs.

Available Sizes	3/4", 1", 1-1/2"
Material	Galvanized Steel Core with Black PVC...
IP Rating	IP67 Liquid Tight



ST

Electric Brass Male Bush

Short pattern brass male bush for electrical conduit entry into switchgear panels and steel trunking boxes.

Available Sizes	3/4", 1", 1-1/2"
Material	Solid Machined Brass
Standard	BS 4568 Part 2

DUCT ACCESSORIES

25 items

Flexible ducts, volume control dampers, duct sealants, adhesives, acoustic insulation, vibration hange...




AERODUCT

Aeroduct Flexible Duct Connector Roll

Aeroduct heavy-duty flexible duct connector roll engineered for HVAC acoustic vibration isolation between air handling units and sheet metal ductwork.

Material	Galvanized Steel & Heavy Canvas / N...
Application	Vibration isolation & duct acoustic con...
Roll Length	28 Meter Roll



ST

Rubber Cork Anti-Vibration Pad

High-density rubber cork composite pad for under-equipment vibration dampening on chillers, pumps, and compressors.

Available Sizes	4"x4"x7/8", 4"x4"x2", 3"x3"x7/8"
Material	Neoprene Rubber & Natural Cork Com...



ST

Spring Hanger Mount (10mm Hole)

Compact steel spring hanger for isolated ceiling suspension of air handling units, fan coil units, and ductwork.

Available Sizes	50mm, 30mm with 10mm Rod Hole
Application	HVAC Fan & Duct Vibration Isolation



ST

Spring Hanger Vibration Isolator (70kg)

Suspended spring hanger vibration isolator designed to absorb structural vibration from suspended HVAC ducts and inline fans.

Load Capacity	70 kg
Hole Size	12 mm Threaded Rod Hole
Spring Material	High-Tensile Powder Coated Steel




ST

Cotton Canvas Cloth

Premium heavy-duty woven cotton canvas cloth used as a protective outer jacketing and vapor barrier covering for thermal insulation on HVAC air ducts and chilled water piping. Delivers...

Roll Dimensions	36" x 18m
Weight / Density	6 oz & 8 oz options
Origin	Pakistan & India
Application	Duct thermal insulation protection & la...



ST

Rubber Waffle Isolation Sheet (3/8")

Cross-ribbed neoprene rubber waffle pad sheet providing high deflection acoustic isolation under mechanical equipment.

Available Sizes	18" x 18" x 3/8"
Material	Heavy Duty Oil-Resistant Neoprene R...



Heavy Duty PVC Flexible Air Duct

Non-insulated flexible duct fabricated from tough PVC foil laminate reinforced with a high-tensile spring steel wire helix. Offers outstanding tear resistance, chemical resistance, and ...

Sizes	4" up to 16" diameter
Core Material	PVC Foil Laminate with Steel Spring...
Color	Grey / Black
Operating Temp	-20°C to +80°C



GOFLEX

NBR Rubber Insulation Roll (GoFlex)

Flexible NBR closed-cell synthetic rubber insulation sheet roll for wrapping large HVAC ductwork, tanks, and large diameter pipes.

Dimensions	1/2" Thickness x 1mtr Width x 14mtr L...
Fire Rating	Class 0 / Class 1 (BS 476 Part 6/7)



ST

Rubber Metal Isolation Pad

Steel-reinforced elastomeric isolation pad engineered for heavy equipment inertia bases and generator set mounting.

Available Sizes	100x100x40mm, 150x150x40mm
Material	Vulcanized EPDM Rubber with Steel P...



ST

Rubber Waffle Isolation Sheet (3/4")

Heavy duty 3/4 inch thick ribbed elastomeric waffle vibration isolation pad sheet for HVAC chillers and air handling units.

Available Sizes	18" x 18" x 3/4"
Material	Molded Neoprene Elastomer



Lightweight Aluminum Securing Clip

Lightweight corrosion-resistant aluminum clips designed for mounting light-gauge flexible duct drops, securing foil insulation outer wraps, and organizing wire runs inside HVAC enclosures.

Size	1/2"
Material	Commercial Grade Aluminum
Application	Securing flexible ducts & foil insulation...



ST

Spring Hanger Vibration Isolator

Heavy capacity spring hanger mount for isolating low-frequency mechanical vibration in heavy piping and HVAC ductwork.

Load Capacity	50kg, 100kg, 150kg
Features	Powder Coated Steel Spring with Neo...



AERODUCT

Rubber Foam Pipe Insulation Tube

Closed-cell elastomeric NBR rubber foam insulation tube for copper refrigerant lines and chilled water pipes.

Wall Thickness	3/8", 3/4"
Available Sizes	1/4" Upto 2-1/8" Pipe Diameter
Thermal Conductivity	0.034 W/m-K at 0°C



AERODUCT

Flexible Duct Connector (Canvas & Neoprene)

Acoustic flexible duct connector roll made of heavy galvanized steel metal strip lock-seamed to durable canvas or neoprene fabric.

Available Sizes	4" & 6" Metal Width
Fabric Options	Heavy Duty Canvas & Fire-Retardant...
Temperature Range	-30°C to +120°C



Water-Based Elastomeric HVAC Duct Sealant

Premium water-based elastomeric duct joint sealant specially formulated for sealing high, medium, and low pressure sheet metal ductwork systems. Cures into a flexible, air-tight, ...

Packaging	5kg Gallon Container
Base	Water-based Elastomeric Acrylic Poly...
Standards	UL 181A-M & UL 181B-M Compliant
Color	Grey



ST

HVAC Volume Control Damper Regulator Fittings

Heavy-duty galvanized steel volume control damper quadrant regulators, dial handles, spring pins, and brass bearing hardware. Essential for fabricating, installing, and adjusting ...


Material	Galvanized Steel & Solid Brass Bearings
Components	Quadrants, Dial Regulators, Retainer...
Origin	India
Application	Airflow volume damper fabrication & a...



Galvanized Duct Flange Corners (TDF/TDC)

Stamped galvanized steel duct flange corners engineered for TDF/TDC transverse duct flange connection systems. Ensures rigid, square, leak-free corner seals on rectangular sheet metal...

Size	35mm (Standard TDC/TDF profile)
Material	Hot-Dip Galvanized Steel
Thickness	1.0mm - 1.2mm gauge
Application	Rectangular air duct flange connection...



HVAC Duct Contact Adhesive

High-strength solvent-based contact adhesive engineered for bonding rubber foam sheet insulation, acoustic liners, glass wool insulation, and canvas wrapping to sheet metal air conditioning...

Packaging	15kg Heavy-Duty Drum
Type	Solvent-Based Synthetic Rubber Cont...
Tack Time	Fast-drying high immediate bond stren...
Temperature Range	-20°C to 90°C



ST

Heavy Duty Spring Mount Isolator

Floor-mounted heavy spring vibration isolator designed for cooling towers, chillers, and large industrial pumps.

Load Capacity	150kg, 200kg
Mounting	Base Plate with Threaded Levelling Bolt



Thermally Insulated Flexible Duct

High-performance insulated flexible air duct featuring a multi-ply aluminum inner core wrapped in high-density fiberglass wool insulation and protected by a durable reinforced metalized out...

Sizes	4" up to 16" diameter
Standard Length	25 ft (7.6m)
Insulation	Glass fiber thermal blanket
Origin	UAE



Aluminum Insulation Strapping Roll

Commercial-grade aluminum strapping roll designed for securing sheet metal cladding, pipe insulation jackets, and fiberglass duct wraps. Weatherproof, corrosion-resistant, and easy to cut and ...

Dimensions	1/2" width, 10 lbs coil weight
Material	Pure Aluminum Alloy
Finish	Smooth Mill Finish
Application	HVAC thermal insulation banding & alu...



AERODUCT

Aeroduct Galvanized Steel Banding Coil

Heavy-duty galvanized steel banding tape designed for securing thermal insulation, pipe jacketing, acoustic liners, and flexible duct connections. Supplied in continuous dispenser coils for ...

Dimensions	9mm width x 30m coil length
Material	Galvanized Steel
Packaging	30 meter dispenser roll
Application	Pipe insulation strapping & duct claddi...



Anti-Vibration (AV) Rubber Mount

Heavy-duty anti-vibration rubber mounts designed to isolate high-frequency vibration and reduce noise from HVAC units, fans, pumps, and motors. Ensures equipment stability and ...

Sizes	Small and Big
Material	High-Density Neoprene Rubber
Application	HVAC vibration isolation and noise red...
Feature	Threaded metal insert for secure moun...




DIAMOND

Diamond Foam Gasket

High-quality adhesive foam gasket tape for duct sealing and insulation.

Available Size	3mm, 6mm
Material	Foam



AIRMASTER

Airmaster Ductcoat 30-36 (Foster)

Advanced formulation A/C duct insulation coating, fungal proof, fire resistant, and washable.

Application	A/C duct thermal insulation
Type	Exterior Coating



Super Tech International Construction Materials Co.

Suppliers of All Air-Conditioning Materials, Hardware & Tools

ADDRESS

Shuwaikh Industrial Area, Kuwait City, Kuwait

TELEPHONE / WHATSAPP

+965 65061752

EMAIL

supertechcm@gmail.com

WEBSITE

supertechkuwait.com

Request a quote for any product in this catalogue.

Specifications are indicative and may change without notice.